

CEILING


CELEBRETTO[®]
COLORS, FINISHES AND
PERFORATION PATTERNS

USG ME 
INNOVATIVE SOLUTIONS. EVERYTIME.


COLORS, FINISHES AND PERFORATION PATTERNS

STANDARD FINISHES

RAL COLORS




WOODEN FINISHES



POWDER COATING COLORS

PREMIUM FINISHES*




* Available upon request. Check with our technical team for lead time delivery.

COLORS, FINISHES AND PERFORATION PATTERNS



SPECIAL COAT




COLORS, FINISHES AND PERFORATION PATTERNS


WOODEN FINISHES




WFP01
BEECH 1




WFP02
BEECH 2



WFP03
PINE




WFP04
OAK




WFP05
CHERRY 1



WFP06
CHERRY 2



WFP07
WALNUT



WFP08
ROSE WOOD


ANODIZED FINISHES



AZ01
G4 DARK GOLD



AZ02
G3 LIGHT GOLD




AZ03
E6 SILVER NATURAL



AZ04
3145 CHAMPAGNE BRONZE



AZ05
3165 LIGHT BRONZE



AZ06
3175 MEDIUM BRONZE



AZ07
3178 DARK BRONZE



AZ08
3178 DARK BRONZE

SPECIAL FINISHES



SS1 BRUSH HAIRLINE
304 GRADE STAINLESS STEEL



SS2 MIRROR
304 GRADE STAINLESS STEEL




MR1
ALUMINIUM MIRROR FINISH

COLORS, FINISHES AND PERFORATION PATTERNS


STANDARD PERFORATION PATTERNS

PATTERN NO. 7E




Even Pattern. Hole Size Dia (A): 0.75mm, Pitch (B): 5mm, Open Area: 1%

PATTERN NO. 15E




Even Pattern. Hole Size Dia (A): 1.5mm, Pitch (B): 4mm, Open Area: 11%

PATTERN NO. B1




Even Pattern. Hole Size Dia (A): 1.8mm, Pitch (B): 5mm, Open Area: 10%

PATTERN NO. B2



Even Pattern. Hole Size Dia (A): 2.5mm, Pitch (B): 5.5mm, Open Area: 16%

PATTERN NO. 15D



Diagonal Pattern. Hole Size Dia (A): 1.5mm, Pitch(B): 2mm Pitch(C): 4mm, Open Area: 22%


PATTERN NO. A1



Diagonal Pattern. Hole Size Dia (A): 1.8mm, Pitch (B): 2.5mm Pitch (C): 5mm, Open Area: 20%


PREMIUM PERFORATION PATTERNS

PATTERN NO. 50D




Diagonal Pattern. Hole Size Dia (A): 5mm, Pitch (B): 5mm, Pitch (C): 10mm, Pitch (D): 7.5mm, Open Area: 32%

PATTERN NO. BR30R




Braille Pattern. Hole Size Dia (A): 30mm, Open Area: 36%

PATTERN NO. BR321630




Braille Pattern. Hole Size Dia (A): 32mm, (B): 16mm, Pitch (C): 40mm, Open Area: 30%

PATTERN NO. HX5D




Hexagon Diagonal Pattern. Hole Size (A): 5mm, Pitch (B): 4mm, Pitch (C): 8mm, Open Area: 29%

PATTERN NO. SQ4E




Straight Line Pattern. Hole Size (A): 4mm, Pitch (B): 9mm, Open Area: 20%

PATTERN NO. TR10



Triangular Pattern. Triangle Size (A): 10mm, Pitch (B): 9.16mm, Pitch (C): 18.32mm, (D): 4.8mm, Open Area: 30%

PATTERN NO. OB2014



Oblong Pattern. Hole Size (A): 2mm, (B): 14mm, Pitch (C): 22mm, Pitch (D): 7mm, Open Area: 17%

CUSTOM PERFORATION PATTERNS ARE AVAILABLE UPON REQUEST

METAL CEILING ACOUSTICAL PERFORMANCE

USG Middle East supplies metal ceiling panels with a range of acoustical performance to meet the needs of all kinds of projects. A variety of sound-absorbing backing options are available with performance up to 1.0 NRC and 35dB CAC depending on ceiling type and infill option. Consult with the USG Middle East technical team for further guidance.

| PATTERN | OPEN AREA% | CELEBRETTO® METAL CEILING INFILL OPTIONS | CAC | NRC | Class | 125 | 250 | 500 | 1000 | 2000 | 4000 |
|---------|------------|---|-----|------|-------|------|------|------|------|------|------|
| A1 | 20% | Acoustic fleece | - | 0.75 | B | 0.70 | 0.95 | 0.75 | 0.75 | 0.80 | 0.80 |
| A1 | 20% | 19mm Soft Fiber infill | - | 0.90 | A | 0.65 | 0.85 | 0.80 | 1.00 | 1.00 | 1.00 |
| A1 | 20% | 15mm Mineral Fiber infill | 32 | - | - | - | - | - | - | - | - |
| A1 | 20% | Acoustic fleece & 30mm Stone Wool & 19mm Mineral Fiber infill | 32 | 0.90 | B | 0.50 | 0.55 | 0.85 | 1.00 | 1.00 | 1.00 |
| A1 | 20% | Acoustic fleece & 25mm Glass Wool & 12mm Gypsum infill | 30 | 0.85 | C | 0.55 | 0.45 | 0.75 | 1.00 | 1.00 | 1.00 |
| A1 | 20% | Acoustic fleece & 30mm Stone Wool & Aluminum Foil | 34 | 1.00 | A | 0.70 | 0.90 | 1.00 | 1.00 | 1.00 | 1.00 |
| B2 | 16% | Acoustic fleece | - | 0.60 | C | 0.65 | 0.75 | 0.55 | 0.55 | 0.60 | 0.65 |
| 15D | 22% | Acoustic fleece | - | 0.60 | C | 0.70 | 0.65 | 0.55 | 0.55 | 0.60 | 0.55 |
| 15D | 22% | Acoustic fleece & 30mm Stone Wool & Aluminum Foil | 30 | 0.80 | B | 0.70 | 0.85 | 0.75 | 0.75 | 0.80 | 0.70 |
| 15E | 11% | Acoustic fleece | - | 0.65 | C | 0.60 | 0.80 | 0.60 | 0.60 | 0.70 | 0.70 |
| 15E | 11% | Acoustic fleece & 30mm Stone Wool & Aluminum Foil | 27 | 0.80 | B | 0.80 | 0.80 | 0.75 | 0.80 | 0.85 | 0.70 |
| 7E | 1% | Acoustic fleece | - | 0.65 | C | 0.80 | 0.75 | 0.65 | 0.65 | 0.60 | 0.50 |
| 7E | 1% | Acoustic fleece & 30mm Stone Wool & Aluminum Foil | 26 | 0.90 | C | 0.80 | 0.85 | 0.85 | 0.95 | 0.85 | 0.55 |
| A1 | 20% | Intersecto Metal Ceiling with Infill | 35 | 0.70 | C | 0.50 | 0.60 | 0.65 | 0.75 | 0.70 | 0.70 |
| A1 | 20% | Paraline Baffles 40X120 C120 with 38mm Soft Fiber infill | - | 0.85 | - | 0.25 | 0.50 | 1.00 | 1.00 | 1.00 | 1.00 |
| A1 | 20% | Paraline Baffles 50X100 C100 with 50mm Soft Fiber infill | - | 0.60 | D | 0.15 | 0.35 | 0.50 | 0.75 | 0.70 | 0.60 |

LIGHT REFLECTANCE

| Metal Tile Description | RAL 9006 | RAL 9016 | RAL 9010 | RAL 7047 |
|---|----------|----------|----------|----------|
| | LR | LR | LR | LR |
| Plain Metal Ceiling | 32% | 74% | 82% | 56% |
| Perforated Metal Ceiling, 1.8mm diameter hole, Diagonal Perforation (20%) | 27% | 59% | 64% | 45% |

LR results as per ASTM E1477



FACTORY OF USG MIDDLE EAST LTD. CO.

7410 (Wasil), Street #23, Cross 76
2nd Industrial City, Dammam 34326-4201
Kingdom of Saudi Arabia

CUSTOMER SERVICE

t +966 13 812 0995
f +966 13 812 1029
info@usgme.com
www.usgme.com

WEBSITE

www.usgme.com

WHATSAPP

+966 92 003 5672



SEE US ON LINKEDIN

[/usgme](#)



FIND US ON FACEBOOK

[/usgme](#)



FOLLOW US ON INSTAGRAM

[/usg_me](#)



FOLLOW US ON TWITTER

[/usg_me](#)



SEE US ON YOUTUBE

[/USG Middle East](#)



MESSAGE US ON WHATSAPP

[/+966 92 003 5672](#)

USG ME 
INNOVATIVE SOLUTIONS. EVERYTIME.